U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY National Flood Insurance Program

ELEVATION CERTIFICATE

IMPORTANT: Follow the instructions on pages 1-9.

OMB No. 1660-0008 Expiration Date: July 31, 2015

SE	CTION A - PROP	ERTY INFORI	VIATION	FOR INSURANCE COMPANY USE
A1. Building Owner's Name				Policy Number:
A2. Building Street Address (including Apt., Unit, Suite, a 1730 Vanderbilt Road, Plan	nd/or Bldg. No.) or E	O. Route and B	ox No.	Company NAIC Number:
City Birmingham	_	State AL		ZIP Code 35234
A3. Property Description (Lot and Block Numbers, Tax Pa Parcel Number 012300192003	rcel Number, Legal D	escription, etc.		<u> </u>
A4. Building Use (e.g., Residential, Non-Residential, Additional A	tion Accessory etc.)	Non-Res		
A5. Latitude/Longitude: Lat. 33.547950 A6. Attach at least 2 photographs of the building if the Co	Long. <u>- 8 6</u> ertificate is being us	. 794568 ed to obtain floo	Horizonta od insurance.	NAD 1927 □ NAD 1983 X WGS 84
A7. Building Diagram Number <u>1A</u> A8. For a building with a crawlspace or enclosure(s):		10.5	na na haattatta aa atti	
a) Square footage of crawlspace or enclosure(s).			or a building with an a Square footage of	
 b) Number of permanent flood openings in the crawls or enclosure(s) within 1.0 foot above adjacent gra 	enace	1		ent flood openings in the attached garage
c) Total net area of flood openings in A8.b			Total net area of flo	od openings in A9.b sq in
d) Engineered flood openings?		d)	Engineered flood o	penings? 🗌 Yes 🔲 No
SECTION B - FLO	OD INSURANCE I	RATE MAP (F	IRM) INFORMAT	ON
B1. NFIP Community Name & Community Number Birmingham, City of - 0101:	B2. Cour	nty Name		B3. State
Birmingham, City of - 0101: B4. Map/Panel Number B5. Suffix B6. FIRM Inde		<u>Je1</u> I Panel Effective	ferson / B8. Flood Zone	(s) B9. Base Flood Elevation(s) (Zone
	Revis	sed Date	DO. 11000 2016	AO, use base flood depth)
01073C0391 G 09/29	0/06 09/	/29/06	AE	574 msl
B10. Indicate the source of the Base Flood Elevation (BFE) FIS Profile FIRM Community Determined	data or base flood de d		Item B9:	
B11. Indicate elevation datum used for BFE in Item B9:	☐ NGVD 1929		☐ Other/Source	۵.
B12. Is the building located in a Coastal Barrier Resources	System (CBRS) area	or Otherwise P	rotected Area (OPA)?	☐ Yes
Designation Date:/ CB				
SECTION C - BUILD!	NG ELEVATION IN	FORMATION	(SURVEY REQUI	RED)
C1. Building elevations are based on:	n Drawings*	Building Unde	Construction*	☑ Finished Construction
A new Elevation certificate witt be required when cons	struction of the buildi	ing is complete.	• • • • • • • • • • • • • • • • • • • •	The state of the s
*A new Elevation Certificate will be required when cons C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V C2.a–h below according to the building diagram specific	struction of the buildi 1–V30. V (with RFF)	ing is complete.	AF AD/A1_A20 AD//	_
	struction of the buildi 1–V30, V (with BFE), ed in Item A7. In Pue	ing is complete.	AF AD/A1_A20 AD//	_
C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V C2.a–h below according to the building diagram specific	struction of the buildi 1–V30, V (with BFE), ed in Item A7. In Pue Vens a) through h) belo	ing is complete. AR, AR/A, AR/A erto Rico only, e ertical Datum: _ w. □ NGVD 19	AE, AR/A1-A30, AR/Anter meters.	AH, AR/AO. Complete Items
C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V C2.a–h below according to the building diagram specific Benchmark Utilized: 574 Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a	struction of the buildi 1–V30, V (with BFE), ed in Item A7. In Pue Vens a) through h) belo as that used for the B	ing is complete. AR, AR/A, AR/A erto Rico only, e ertical Datum: _ w.	AE, AR/A1–A30, AR/Anter meters. 929 X NAVD 1988 Check the m	AH, AR/AO. Complete Items Other/Source: easurement used.
C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V C2.a–h below according to the building diagram specific Benchmark Utilized: 574 Indicate elevation datum used for the elevations in item	struction of the buildi 1–V30, V (with BFE), ed in Item A7. In Pue Vens a) through h) belo as that used for the B	ing is complete. AR, AR/A, AR/A erto Rico only, e ertical Datum: _ w.	AE, AR/A1–A30, AR/Anter meters. 929 X NAVD 1988 Check the m	AH, AR/AO. Complete Items Other/Source: easurement used. meters
C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V C2.a–h below according to the building diagram specific Benchmark Utilized: 574 Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same at a) Top of bottom floor (including basement, crawlspace)	struction of the buildi 1–V30, V (with BFE), ed in Item A7. In Pue Vens a) through h) belo as that used for the f , or enclosure floor)	ing is complete. AR, AR/A, AR/A erto Rico only, e ertical Datum: _ w.	AE, AR/A1-A30, AR/Anter meters. 929 X NAVD 1988 Check the m 7	AH, AR/AO. Complete Items Other/Source: easurement used. meters meters
C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V C2.a–h below according to the building diagram specific Benchmark Utilized: 574 Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same at a) Top of bottom floor (including basement, crawlspace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (vd) Attached garage (top of slab)	struction of the buildi 1–V30, V (with BFE), ed in Item A7. In Pue vens a) through h) beloas that used for the B , or enclosure floor) V Zones only)	ing is complete. AR, AR/A, AR//erto Rico only, e ertical Datum: _ w.	AE, AR/A1–A30, AR/Anter meters. 929 X NAVD 1988 Check the m 7	AH, AR/AO. Complete Items Other/Source: easurement used. meters meters meters
C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V C2.a–h below according to the building diagram specific Benchmark Utilized: 574 Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same at a) Top of bottom floor (including basement, crawlspace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (vd) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicin (Describe type of equipment and location in Commer	struction of the buildi 1–V30, V (with BFE), ed in Item A7. In Pue set in Item A7. In Pue ns a) through h) belo as that used for the B , or enclosure floor) V Zones only) g the building nts)	ing is complete. AR, AR/A, AR//erto Rico only, e ertical Datum: _ w.	AE, AR/A1–A30, AR/Anter meters. 229 X NAVD 1988 Check the m 7	AH, AR/AO. Complete Items Other/Source: easurement used. meters meters meters meters meters
C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V C2.a–h below according to the building diagram specific Benchmark Utilized: 574 Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same at a) Top of bottom floor (including basement, crawlspace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (vid) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing (Describe type of equipment and location in Commer f) Lowest adjacent (finished) grade next to building (LAI)	struction of the buildi 1–V30, V (with BFE), ed in Item A7. In Pue set in Item A7. In Pue ns a) through h) belo as that used for the B , or enclosure floor) V Zones only) g the building nts) G)	ing is complete. AR, AR/A, AR//erto Rico only, e ertical Datum: _ w.	AE, AR/A1–A30, AR/Anter meters. 229 X NAVD 1988 Check the m	AH, AR/AO. Complete Items Other/Source: easurement used. meters meters meters meters meters meters meters meters
C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V C2.a–h below according to the building diagram specific Benchmark Utilized: 574 Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same at a) Top of bottom floor (including basement, crawlspace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (vid) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing (Describe type of equipment and location in Commer f) Lowest adjacent (finished) grade next to building (LAI g) Highest adjacent (finished) grade next to building (HAI g) Highest adjacent (finished) grade next to building (HAI g)	struction of the buildi 1–V30, V (with BFE), ed in Item A7. In Pue set in Ite	ing is complete. AR, AR/A, AR// erto Rico only, e ertical Datum: _ w.	AE, AR/A1-A30, AR/Anter meters. 329 X NAVD 1988 Check the m Check the m feet feet feet feet X feet X feet	AH, AR/AO. Complete Items Other/Source: easurement used. meters
C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V C2.a–h below according to the building diagram specific Benchmark Utilized: 574 Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same at a) Top of bottom floor (including basement, crawlspace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (vid) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing (Describe type of equipment and location in Commer f) Lowest adjacent (finished) grade next to building (LAI)	struction of the buildi 1–V30, V (with BFE), ed in Item A7. In Pue set in Ite	ing is complete. AR, AR/A, AR//erto Rico only, e ertical Datum: _ w.	AE, AR/A1-A30, AR/Anter meters. 329 X NAVD 1988 Check the m feet feet feet	AH, AR/AO. Complete Items Other/Source: easurement used. meters meters meters meters meters meters meters meters meters
C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V C2.a–h below according to the building diagram specific Benchmark Utilized: 574 Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same at a) Top of bottom floor (including basement, crawlspace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (vid) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing (Describe type of equipment and location in Commer f) Lowest adjacent (finished) grade next to building (LAI g) Highest adjacent grade at lowest elevation of deck or structural support	struction of the buildi 1–V30, V (with BFE), ed in Item A7. In Pue ns a) through h) belo as that used for the B , or enclosure floor) V Zones only) g the building nts) G) AG) r stairs, including	ing is complete. AR, AR/A, AR//erto Rico only, e ertical Datum: _ w.	AE, AR/A1–A30, AR/Anter meters. 29 X NAVD 1988 Check the m feet feet feet	AH, AR/AO. Complete Items Other/Source: easurement used. meters
C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V C2.a–h below according to the building diagram specific Benchmark Utilized: 574 Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same at a) Top of bottom floor (including basement, crawlspace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (vid) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicin (Describe type of equipment and location in Commer f) Lowest adjacent (finished) grade next to building (LAI g) Highest adjacent grade at lowest elevation of deck or structural support	truction of the buildi 1–V30, V (with BFE), ed in Item A7. In Pue we have a through h) belo as that used for the B , or enclosure floor) Zones only) g the building hts) G) AG) stairs, including	ing is complete. AR, AR/A, AR//erto Rico only, e ertical Datum: _ w.	AE, AR/A1–A30, AR/Anter meters. D29 X NAVD 1988 Check the m Get Get Get Get X feet X feet GET CERTIFICATIO	AH, AR/AO. Complete Items Other/Source: easurement used. meters
C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V C2.a–h below according to the building diagram specific Benchmark Utilized: 574 Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same at a) Top of bottom floor (including basement, crawlspace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (vid) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicin (Describe type of equipment and location in Commer f) Lowest adjacent (finished) grade next to building (LAI g) Highest adjacent (finished) grade next to building (HAI h) Lowest adjacent grade at lowest elevation of deck or structural support SECTION D – SURVE	truction of the buildid 1–V30, V (with BFE), ed in Item A7. In Pue Vens a) through h) belo as that used for the B , or enclosure floor) V Zones only) g the building nts) G) AG) r stairs, including	ing is complete. AR, AR/A, AR// erto Rico only, e ertical Datum: _ w.	AE, AR/A1-A30, AR/Anter meters. 329 X NAVD 1988 Check the m Check the m feet feet feet X feet X feet ECT CERTIFICATION Claw to certify elevations	AH, AR/AO. Complete Items Other/Source: easurement used. meters
C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V C2.a–h below according to the building diagram specific Benchmark Utilized: 574 Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same at a) Top of bottom floor (including basement, crawlspace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (vid) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicin (Describe type of equipment and location in Commer f) Lowest adjacent (finished) grade next to building (LAI g) Highest adjacent grade at lowest elevation of deck or structural support SECTION D – SURVE	truction of the buildid 1–V30, V (with BFE), ed in Item A7. In Pue vens a) through h) belo as that used for the B , or enclosure floor) v Zones only) g the building ints) G) AG) stairs, including EYOR, ENGINEER, r, engineer, or archite resents my best effor e or imprisonment un Were latitude and lo	ing is complete. AR, AR/A, AR//erto Rico only, electrical Datum: _ w.	AE, AR/A1-A30, AR/Anter meters. D29 X NAVD 1988 Check the m Chec	AH, AR/AO. Complete Items Other/Source: easurement used. meters
C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V C2.a–h below according to the building diagram specific Benchmark Utilized: 574 Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same at a) Top of bottom floor (including basement, crawlspace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (v) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicin (Describe type of equipment and location in Commer f) Lowest adjacent (finished) grade next to building (LAI g) Highest adjacent (finished) grade next to building (HAI h) Lowest adjacent grade at lowest elevation of deck or structural support SECTION D – SURVE his certification is to be signed and sealed by a land surveyor formation. I certify that the information on this Certificate representation of that any false statement may be punishable by fine Check here if comments are provided on back of form.	truction of the buildid 1–V30, V (with BFE), ed in Item A7. In Pue Vens a) through h) belo as that used for the B , or enclosure floor) V Zones only) g the building nts) G) AG) stairs, including YOR, ENGINEER, r, engineer, or archite resents my best effor e or imprisonment un	ing is complete. AR, AR/A, AR/A Pro Rico only, e ertical Datum: _ w.	AE, AR/A1-A30, AR/Anter meters. 329 X NAVD 1988 Check the m Check the m Get Get Get Get Check the m Feet Get Get Get Get Afeet Check the m Feet Get Get Get Get Afeet Check the m Feet Get Get Get Afeet Check the m Feet Get Get Get Get Afeet Check the m Feet Get Get Get Afeet Check the m Feet Get Feet Get Afeet Check the m Feet Feet Get Get Afeet Check the m Feet Get Feet Get Afeet Check the m Feet Get Feet Get Afeet Check the m Feet Feet Feet Feet Afeet Get Afeet Get Afeet Get Afeet Afee	AH, AR/AO. Complete Items Other/Source: easurement used. meters
C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V C2.a–h below according to the building diagram specific Benchmark Utilized: 574 Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same at a) Top of bottom floor (including basement, crawlspace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (vid) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing (Describe type of equipment and location in Comment of Lowest adjacent (finished) grade next to building (LAI) Highest adjacent (finished) grade next to building (HAI) Lowest adjacent grade at lowest elevation of deck or structural support SECTION D – SURVE his certification is to be signed and sealed by a land surveyor information. I certify that the information on this Certificate representation of the certificate representation of	truction of the buildid 1–V30, V (with BFE), ed in Item A7. In Pue vens a) through h) belo as that used for the B , or enclosure floor) v Zones only) g the building ints) G) AG) stairs, including EYOR, ENGINEER, r, engineer, or archite resents my best effor e or imprisonment un Were latitude and lo	ing is complete. AR, AR/A, AR//erto Rico only, electrical Datum: _ w.	AE, AR/A1-A30, AR/Anter meters. 329 X NAVD 1988 Check the m Check the m Get Get Get Get Check the m Feet Get Get Get Get Afeet Check the m Feet Get Get Get Get Afeet Check the m Feet Get Get Get Afeet Check the m Feet Get Get Get Get Afeet Check the m Feet Get Get Get Afeet Check the m Feet Get Feet Get Afeet Check the m Feet Feet Get Get Afeet Check the m Feet Get Feet Get Afeet Check the m Feet Get Feet Get Afeet Check the m Feet Feet Feet Feet Afeet Get Afeet Get Afeet Get Afeet Afee	AH, AR/AO. Complete Items Other/Source: easurement used. meters PLACE
C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V C2.a–h below according to the building diagram specific Benchmark Utilized: 574 Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same at a) Top of bottom floor (including basement, crawlspace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (vid) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicin (Describe type of equipment and location in Comment (D	truction of the buildid 1–V30, V (with BFE), ed in Item A7. In Pue Vens a) through h) belo as that used for the B , or enclosure floor) V Zones only) g the building hts) G) AG) r stairs, including EYOR, ENGINEER, r, engineer, or archite resents my best effor e or imprisonment un Were latitude and ic licensed land survey	ing is complete. AR, AR/A, AR// Pro Rico only, e Prical Datum: _ w.	AE, AR/A1-A30, AR/Anter meters. Check the magnetic feet feet feet feet feet feet feet fee	AH, AR/AO. Complete Items Other/Source: easurement used. meters meters meters meters meters meters meters meters meters PACE SBAD
C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V C2.a–h below according to the building diagram specific Benchmark Utilized: 574 Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same at a) Top of bottom floor (including basement, crawlspace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (vid) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicin (Describe type of equipment and location in Comment of Lowest adjacent (finished) grade next to building (LAI) Highest adjacent (finished) grade next to building (HAI) Lowest adjacent grade at lowest elevation of deck or structural support SECTION D – SURVE his certification is to be signed and sealed by a land surveyor formation. I certify that the information on this Certificate representation of the comments are provided on back of form. Check here if comments are provided on back of form. Check here if attachments. Certifier's Name SCOTT R. Heywood Title Principal	truction of the buildid 1–V30, V (with BFE), ed in Item A7. In Pue Vens a) through h) belo as that used for the B , or enclosure floor) V Zones only) g the building ints) G) AG) stairs, including EYOR, ENGINEER, r, engineer, or archite resents my best effor e or imprisonment un Were latitude and ic licensed land survey Company Name Kal	ing is complete. AR, AR/A, AR// erto Rico only, e ertical Datum: _ w.	AE, AR/A1–A30, AR/Anter meters. 329 X NAVD 1988 Check the m Get Get Get Get Meet X feet X fe	AH, AR/AO. Complete Items Other/Source: easurement used. meters meters meters meters meters meters meters heaters PLACE 36A2 HERE
C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V C2.a-h below according to the building diagram specific Benchmark Utilized: 574 Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same at a) Top of bottom floor (including basement, crawlspace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (vid) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicin (Describe type of equipment and location in Comment (D	company Name L-V30, V (with BFE), ed in Item A7. In Pue Vens a) through h) belo as that used for the Item A7. In Pue Vens a) through h) belo as that used for the Item A7. In Pue Vens a) through h) belo as that used for the Item A7. In Pue Item A7. In Pue A7. In P	ing is complete. AR, AR/A, AR// erto Rico only, e ertical Datum: _ w.	AE, AR/A1-A30, AR/Anter meters. Check the magnetic feet feet feet feet feet feet feet fee	AH, AR/AO. Complete Items Other/Source: easurement used. meters meters meters meters meters meters meters meters meters PACE SBAD

ELEVATION CERTIFICATE, page 2

IMPORTANT: In these spaces, copy the co				FOR INSURANCE COMPANY USE
uilding Street Address (including Apt., Unit, Suite, and/or Bidg. No.) or P.O. Route and Box No. 730 Vanderbilt Road, Plant 14 Bldq				Policy Number
City Birmingham	State			Company NAIC Number.
	SURVEYOR, ENGINEER, C			
Copy both sides of this Elevation Certificate				
Comments	Tor (1) community official, (2) ii	isurance agent/ com	pany, and (3) buildin	g owner.
Signature		Date		
SECTION E – BUILDING ELEVATION	ON INCODMATION (CLIDVE	V NOT DECLUDE) FOR 70NE 40	AND BANK A CARREST AND
For Zones AO and A (without BFE), complete	Items E1-E5. If the Certificate	is intended to suppor	rt a LOMA or LOMB-I	
ror items E1–E4, use natural grade, if availal	ble. Check the measurement us	sed. In Puerto Rico o	nly, enter meters.	
E1. Provide elevation information for the folio grade (HAG) and the lowest adjacent grad	de (LAG).		ther the elevation is	above or below the highest adjacer
a) Top of bottom floor (Including basemer			☐ feet ☐ mete	
b) Top of bottom floor (including basemer			☐ feet ☐ mete	
For Building Diagrams 6–9 with permaner the next higher floor (elevation C2.b in the	nt nood openings provided in Se	ection A Items 8 and/	_	
3. Attached garage (top of slab) is	e diagrams) of the building is		☐ feet ☐ meter	
	amont condolor the feetiles to		☐ feet ☐ meter	
4. Top of platform of machinery and/or equip			☐ feet ☐ meter	
 Zone AO only: If no flood depth number is ordinance? ☐ Yes ☐ No ☐ Unknow 	n. The local official must certify	tom 110or elevated in this information in S	accordance with the Section G.	community's floodplain manageme
	PROPERTY OWNER (OR O			
ne property owner or owner's authorized repr one AO must sign here. The statements in S	ections A, B, and E are correct	tions A, B, and E for 2 to the best of my kno	Zone A (without a FE owledge.	MA-issued or community-issued BF
roperty Owner or Owner's Authorized Represe	entative's Name			
ddress		City	Stat	e ZIP Code
ignature		Date	Tele	phone
omments				
				Check here if attachmen
	SECTION G - COMMUNITY			
ne local official who is authorized by law or ord of this Elevation Certificate. Complete the app. 1. The information in Section C was tak who is authorized by law to certify election. 2. A community official completed Section.	olicable item(s) and sign below. (en from other documentation t evation information. (Indicate ti	Check the measureme that has been signed he source and date o	ent used in Items G8 I and sealed by a lic of the elevation data	-G10. In Puerto Rico only, enter met ensed surveyor, engineer, or archit a in the Comments area below.)
3. \square The following information (Items G4–	G10) is provided for community	y floodplain manager	ment purposes.	ty-issued bit by or Zone Ao.
1. Permit Number	G5. Date Permit Issued	G6. D	ate Certificate Of Co	ompliance/Occupancy Issued
. This permit has been issued for: Ne	ew Construction	itial Improvement		
3. Elevation of as-built lowest floor (including		· .	☐ feet ☐ meters	Datum
 BFE or (in Zone AO) depth of flooding at the 			☐ feet ☐ meters	Datum
O. Community's design flood elevation:	_	· i	☐ feet ☐ meters	Datum
cal Official's Name		Title	<u> </u>	
mmunity Name		Telephone		
nature		Date		
mments				
				☐ Check here if attachments

















